

Work Order ID 137593

Wednesday, October 07, 2015 12:40:29 PM

137593

Ship tomorrow Page 1

Item ID: D500-572-011 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Bearpaw
 Start Date: 10/20/15 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 10/30/15 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: MLS Date: OCT 08 2015 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2435	Rev E1								
IIND500-572	RevA								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and create labels per PPP D500-572-011 CHG005								
160	Pick Kit	0.00							
160									
Packaging	Memo	0.00							
Packaging									

BAS
27
9-89

MLS 15-10-28

DAS
28
9-89

OCT 28 2015

BAS
27
9-89

OCT 28 2015

245
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval				
Description Work Order Deviation				Disposition							
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter		☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes		☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center		☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence	
				OTHER :							

Work Order ID 137593***137593***

Page 2

Wednesday, October 07, 2015 12:40:29 PM

Item ID: D500-572-011

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Bearpaw

Start Date: 10/20/15 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 10/30/15 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
170	QC4- 100% Inspect kits for completeness	0.00							
170						<u>IX</u>	DAS 28 9-89		OCT 28 2015
QC	Memo	0.00							
Quality Control									
180		0.00							
180	Packaging					<u>IX</u>	DAS 28 9-89		OCT 28 2015
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPPD500-572-011								
	LOCATION: FG012								
190	QC21- Final Inspection - Work Order Release	0.00							
190						<u>ML5</u>			OCT 28 2015
QC	Memo	0.00							
Quality Control									

2015 10 28

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Wednesday, October 07, 2015 12:40:28 PM

Page 1

Work Order ID: 137593

137593

Parent Item: D500-572-011

D500-572-011

Parent Item Name: Bearpaw

Start Date: 10/20/15

Required Date: 10/30/15

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP Rev:C04.02.17Blank size changedKJ/JLM

IPP Rev:D 07-01-02 Was K10007 JLM

IPP Rev:E 08-01-09 Added Step 2 JLM Verified By:EC

IPP Rev:F 08-10-15 New Manufacturing Method JLM Verified By:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

AN4-15A		Purchased	No			170	Each	212.0000	8	8			
AN4-15A									**				
Bolt													

DAS
28
9-89

Location	Loc Qty	Loc Code
GA	40	
120449	40	
ST325A	100	
m132551	0	
m133284	100	
ST343	72	
m132551	72	

D2182B		Manufactured	No			170	f	618.9283	1.666	1.666			
--------	--	--------------	----	--	--	-----	---	----------	-------	-------	--	--	--

D2182B

Rubber Cushion - Black (\$Per Foot)

DAS
28
9-89

Location	Loc Qty	Loc Code
ST411	618.9283	
130427	268.9283	
135093	350	

D2274		Manufactured	No			170	Each	52.0000	8	8			
-------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--

D2274

Radius Block

DAS
28
9-89

Location	Loc Qty	Loc Code
FG	12	
86855	12	
ST006	40	
134217	40	

OCT 28 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Picklist Print

Wednesday, October 07, 2015 12:40:29 PM

Page 2

Work Order ID: 137593

137593

Parent Item: D500-572-011

D500-572-011

Parent Item Name: Bearpaw

Start Date: 10/20/15

Required Date: 10/30/15

Start Qty: 1.00

Required Qty: 1.00

D2435

Manufactured No

170

Each

4.0000

2

2

D2435

Bearpaw

DAS
28
9-89

**

DAS
27
9-89



Location

Loc Qty

Loc Code

PKG

4

128312

4

D2438

Manufactured No

170

Each

72.0000

4

4

D2438

Clamp

DAS
28
9-89

**

DAS
27
9-89



Location

Loc Qty

Loc Code

ST

6

110276

6

ST542

66

128921

16

131052

50

D2529

Manufactured No

170

Each

271.0000

8

8

D2529

Washer

DAS
28
9-89

**

DAS
27
9-89



Location

Loc Qty

Loc Code

ST007

71

131945

71

ST008

200

135846

100

136774

100

OCT 28 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :							
Misidentified	☐	Past Due	☐								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER :							

Picklist Print

Wednesday, October 07, 2015 12:40:29 PM

Page 4

Work Order ID: 137593

137593

Parent Item: D500-572-011

D500-572-011

Parent Item Name: Bearpaw

Start Date: 10/20/15

Required Date: 10/30/15

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0463J

Purchased

No

170

Each

5,688.000

8

8

NAS1149D0463J

WASHER

DAS
27
9-89

DAS
6
9-89

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

41

M129390

41

ST260a

3500

M133284

2000

M133316

1500

ST269

2147

M129682

62

M130799

371

M132317

101

M132677

888

M133077

725

M133284

8

QS200-M44S

Purchased

No

120

Each

18.0000

2

2

QS200-M44S

CLAMP

DAS
27
9-89

DAS
9-89

Location

Loc Qty

Loc Code

ST545

18

m131340

18

DAS
28
9-89

OCT 28 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :			
Misidentified	☐	Past Due	☐				



RELEASED
14.06.17 KE

DESIGN	DRAWN BY	DART AEROSPACE LTD HAMKESBURY, ONTARIO, CANADA	REV. E
CHECKED KE	APPROVED KE	DRAWING NO. D2435	SHEET 1 OF 2
DATE 98.05.19	TITLE BEARPAW	SCALE 1:5	

ENGRAVE LOGO TO MAX
DEPTH OF 0.012. ENGRAVE
PART AND BATCH NUMBERS
TO MAX DEPTH OF 0.010.
(TYPICAL LOCATION AS
ILLUSTRATED)


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
WITHOUT NOTICE
WORK ORDER
NO. 137593 ML5

1570-08

Ø0.260 (TYP) Ø0.93 C'BORE
Ø0.75 C'BORE 0.30 DEEP FROM BOTTOM
0.35 DEEP FROM TOP (MIN.)
0.30 DEEP FROM BOTTOM.
(LEAVE 0.300 MIN.)
(LEAVE 0.650 MIN.)
0.375 (TYP)

9143	
------	--

EFFECTIVE DEOS




MATERIAL: UHMW BLACK PER SPEC CONTROL DRAWING D2689
1.00 THICK (MACHINE TO 0.950)




DESIGN <i>KE</i>	DRAWN BY <i>KE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>DM</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2435	REV. E SHEET 2 OF 2
DATE 98.05.19		TITLE BEARPAW	SCALE 1:4


RELEASED
98.06.17 KE



SECTION A-A



SECTION B-B



SECTION C-C

4. WEIGHT AND BALANCE

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D500-572-011 Bearpaw Installation	8.5 lb 3.86 kg	0.0 in 0.0 m	0.0 lb-kg 0.0 m-kg	130 in 3.30 m	1105 in-lb 12.74 m-kg
D500-572-021 Narrow Bearpaw Installation	7.5 lb 3.41 kg	0.0 in 0.0 m	0.0 lb-kg 0.0 m-kg	130 in 3.30 m	975 in-lb 11.25 m-kg
D500-572-013 Bearpaw Installation	11.4 lb 5.17 kg	0.0 in 0.0 m	0.0 lb-kg 0.0 m-kg	128 in 3.25 m	1459 in-lb 16.80 m-kg
D600-572-015 Bearpaw Installation	11.4 lb 5.17 kg	0.0 in 0.0 m	0.0 lb-kg 0.0 m-kg	122 in 3.10 m	1391 in-lb 16.03 m-kg

5. PARTS LIST

Qty D500 -572 -011	Qty D500 -572 -021	Qty D500 -572 -013	Qty D600 -572 -015	Part Number	Description
X				D500-572-011	BEARPAW INSTALLATION
	X			D500-572-021	NARROW BEARPAW INSTALLATION
		X		D500-572-013	BEARPAW INSTALLATION
			X	D600-572-015	BEARPAW INSTALLATION
2				D2435	BEARPAW
	2			D2671	BEARPAW
		2		D2995	BEARPAW
			2	D2996	BEARPAW
4	4	4		D2182B050	RUBBER CUSHION
			4	D2182B060	RUBBER CUSHION
8	8	8	8	D2274	RADIUS BLOCK
4	4	4		D2438	CLAMP
			4	D2519	CLAMP
8	8	8	8	D2529	WASHER
		8	8	AN4-13A	BOLT
8	8			AN4-15A	BOLT
8	8	8	8	AN960JD416	WASHER
8	8	8	8	MS21042L4	NUT (OR MS21042-4)
2	2			QS200M44S	CLAMP
			4	QS100M24S	CLAMP

• COPYRIGHT © 2001 BY DART AEROSPACE LTD. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: A

Date: 01.02.21